



Felted Slippers - Knit

No. 2004-171-9445

Materials

- 200 (200) 200 (300) 300 (400) g Woolpower, color 104 brown/beige
- Straight needles US 11 (8mm)
- Happy sheep Woolpower
- Sock Stop "Gummimælk"

Buy yarn and materials here:

<http://shop.hobbii.com/felted-slippers-knit>

Women's Shoe Size

5 ½ - 5 (6-7) 8/8 ½ (9/9 ½) 10 - 10 ½ (12/13)

Gauge

14 sts x 28 rows = 4 x 4 in. before felting

Abbreviations

CO: Cast on

BO: Bind off

st: stitch

K2tog: knit 2 stitches together

Garter stitch: knit all stitches on right side (RS) and wrong side (WS).

Pattern

Leg: CO 66 (70) 70 (74) 80 (80) sts and knit in garter stitch until there are 16 (20) 24 (27) 30 (34) ridges = approx. 4 $\frac{3}{4}$ (5 $\frac{1}{2}$) 6 $\frac{3}{4}$ (7 $\frac{1}{2}$) 8 $\frac{1}{4}$ (9 $\frac{1}{2}$) in.

Bind off 10 sts at the beginning of the next 2 rows so that 46 (50) 50 (54) 60 (60) sts remain.

Foot: Knit 18 (20) 22 (26) 28 (32) ridges = approx. 5 (5 $\frac{1}{2}$) 6 $\frac{1}{4}$ (7 $\frac{1}{4}$) 7 $\frac{3}{4}$ (9) in.

Toe: K2tog to the end of row = 23 (25) 25 (27) 30 (30) sts.

Next row: K1 (1) 1 (1) 0 (0), then K2tog to the end of row = 12 (13) 13 (14) 16 (16) sts.

Next row: K0 (1) 1 (0) 0 (0), then K2tog to the end of row = 6 (7) 7 (7) 8 (8) sts.

Bind off.

Assembly:

Sew the toe together.

Sew from the toe across the foot section.

Sew the back seam together from the top of the piece until 2 in. remain making a hole where the heel should go.

Fold the "hole" flat perpendicular to the seam you just sewed to create the heel shaping

Felting:

Put the slippers in the washing machine on warm along with a tennis ball or a towel.

Note: Felting will vary from machine to machine. Sometimes you may need to run the slippers through the machine a second time to achieve the desired amount of felting.

Once the slippers are felted enough, shape them either on your feet or using paper while they are still wet. Remove and allow to dry fully.



Photo Tutorial – Sewing the foot together:



1. Sew the top seam of the foot to the ankle using a mattress stitch by going through a ridge on one side.
2. And then through the matching ridge on the other side. Repeat until you reach the ankle point.

Photo Tutorial – Sewing together the back seam:



1. Starting at the top of the leg, sew the two sides together using a mattress stitch by going through 2 sts in the same direction,
2. Then going through the next 2 sts (one from each side of the seam) in the opposite direction. Repeat until there are approx. 2 in. from the end of the piece.

Photo Tutorial – Sewing together the heel:



1. Continue until there are approx. 2 inches remaining. Fold the remaining section perpendicular to create a T-shape.

Machine wash on warm to felt. Use *Sock Stop Non-Slip Latex* on the bottom to make them non-slip.



Enjoy! 😊

With best regards, Hobbii.com