



KNITTING PATTERN

# Lou Mini

Top

Design: Irene Rasch | Hobbii Design

## MATERIALS

1 (2, 2, 2) skein(s) of Twister Solid,  
color 114, **A**

1 (1, 1, 1) skein of Twister Solid,  
color 120, **B**

Circular needle US 4 (3.5 mm), 23.6" (60 cm)

Circular needle US 2.5 (3 mm), 15.7" (40 cm)

Stitch markers

## YARN QUALITY

 **Twister Solid**, Hobbii

55 % Cotton, 45 % Acrylic / 3.5 oz (100 g) =  
437 yds (400 m)

## GAUGE

25 sts x 34 rnds in stockinette stitch = 4" (10  
cm)

with needle US 4 (3.5 mm)

## SIZE

1 (2, 4, 6) year(s)

## MEASUREMENTS

Width: 8.3" (9.4", 10.6", 11.8") / 21 (24, 27, 30)  
cm

Length: 11" (13", 14.2", 15.7") / 28 (33, 36, 40)  
cm

## PATTERN INFORMATION

The top is worked bottom up in the round.  
The edges are worked in a contrasting color  
and the rest of the top is worked in a lace  
pattern. The edge of the sleeves and neck  
and also worked in a contrasting color.

## TECHNIQUES VIDEOS

[Magic loop](#)

[SSK](#)

## HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiiloumini

## BUY THE YARN HERE

<http://shop.hobbii.com/lou-mini-top>



## QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at  
[support@hobbii.com](mailto:support@hobbii.com)

Please make sure to include the pattern's name and number.

Happy Crafting!

# Pattern



## PATTERN REPEAT

Rnd 1: \*K until you reach a marker, move the marker to the right needle, SSK, yo, k1, yo, k2tog\*, repeat from \* to \* a total of 8 times, k 9 (10, 11, 12) sts.

Rnd 2: k all sts, including the yos.

Rnd 3: k all sts.

Rnd 4: k all sts.

Repeat these 4 rnds.

## TOP

Co 102 (120, 135, 150) sts with col **B** on circular needle US 4 (3.5 mm). Work 5 rnds of st st in the round.

### Folded edge

\*Yo, k1, k2tog\*, repeat from \* to \* throughout the rnd.

K 1 rnd (the yos are k) and inc 2 (0, 1, 2) sts evenly = 104 (120, 136, 152) sts.

## BODY

### Divide the sts in preparation for lace pattern like this

Place a marker after 4 (5, 6, 7) sts and then after every 13 (15, 17, 19) sts = 8 pattern repeat markers.

Change to color **A**.

Work 2 rnds in st st.

Work **pattern repeat** until the work measures 6.3" (7.5", 8.7", 9.4") / 16 (19, 22, 24) cm measured from the folded edge. Place a marker at the beg of the rnd and midway through the rnd = 52 (60, 68, 76) sts for each part.

### **Armhole**

Bo 2 sts on each side of the markers on each side = 4 sts in each armhole  
= 48 (56, 64, 72) sts for each part.

Now the work is divided and the front piece and back piece are worked separately.

Place the front piece sts on a stitch holder.

### **BACK PIECE**

Continue working in **pattern repeat**.

### **Armhole**

Bo for the armhole on every other row on each side for 3, 2, 1, 1 st(s) (all sizes)  
= 34 (42, 50, 58) sts.

Work until the work measures 10.6" (12.6", 14.2", 15.4") / 27 (32, 36, 39) cm measured from the folded edge.

End with row 2 of the **pattern repeat**.

### **Neck and shoulder**

Bo the 14 (22, 28, 36) middle sts and work each side separately.

Bo 1, 1 st (all sizes) at the neck on every other row = 8 (8, 9, 9) sts.

Bo.

### **FRONT PIECE**

Continue working in **pattern repeat**.

### **Armhole**

Bo for the armhole on every other row on each side for 3, 2, 1, 1 st(s) (all sizes)  
= 34 (42, 50, 58) sts.

Work until the work measures 7.9" (9.8", 11.4", 12.6") / 20 (25, 29, 32) cm.

End with row 2 of the **pattern repeat**.

### **Neck and shoulder**

Bo the 2 (10, 16, 24) middle sts and work each side separately.

Bo 3, 2, 1, 1, 1 st(s) (all sizes) at the neck on every other row = 8 (8, 9, 9) sts for the shoulder

Continue working in **pattern repeat** until the work measures the same as the back piece.

End with row 4 of the **pattern repeat**.

Bo.

Stitch together the shoulder seams with Kitchener Stitch.

## NECKLINE

With col **B**, pick up sts (k tbl) along the neckline with circular needle US 2.5 (3 mm), 15.7" (40 cm).

K 3 rnds.

Bo.

## SLEEVE EDGES

With col **B**, pick up sts (k tbl) along the sleeves with circular needle US 2.5 (3 mm).

K 3 rnds.

Bo.

## FINISHING

Fold the bottom edge towards the WS in the folded edge and sew it on.