



CROCHET PATTERN

Sungi

Doll

Design: PifPaf | Hobbii Design




MATERIALS

2 skeins of Rainbow Cotton 8/4, col Natural White (002)
1 skein of Rainbow Cotton 8/4, col Petrol Blue (035)
1 skein of Rainbow Cotton 8/4, col Light Brown (006)
1 skein of Rainbow Cotton 8/4, col Prussian Blue (092)
1 skein of Rainbow Cotton 8/4, col Rust (101)
1 skein of Rainbow Cotton 8/4, col Dark Grey (011)

Crochet hook 2.5 mm
A piece of black scrap yarn
Safety eyes 7 mm
2 wooden buttons, 12 mm
Fiberfill
Pins
Optional, a piece of rubber cable, 14 cm (5.6") long and with a diameter of 1 cm (0.4"), for stiffening of head and neck.
Optional, spectacles

YARN QUALITY

 **Rainbow Cotton 8/4**, Hobbii
100% cotton / 50 g (1.75 oz) = 170 meters (186 yds)

ABBREVIATIONS

mr = magic ring
ch = chain
sc = single crochet
sl st(s) = slip stitch(es)
hdc = half double crochet
bl = back loop
inc = increase - 2 stitches in the same st
dec = decrease - 2 stitches together
rnd(s) = round(s)
(xx) = number of stitches after ended round

QUESTIONS

If you have any questions or doubts about the pattern, please feel free to write on support@hobbii.com
Please make sure to include the pattern's name and number.

Happy Crafting!

MEASUREMENTS

Approx. 30 cm (8.8") tall

PATTERN INFORMATION

Sungi the doll has put on his finest vest and is ready to delight a little boy or girl. His best friend is Sara, and they love to do fun stuff together.

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiisungi

BUY YOUR YARN HERE

<http://shop.hobbii.com/sungi-doll>

Pattern



INFO AND TIPS

Always stuff the head and body firmly. Always stuff between head and body as you sew the head on to avoid a wobbly head.

Work tightly to avoid holes between the stitches.

All pieces are crocheted in the round, apart from the hat and the bag.

ARM

Make 2 in Natural White

Rnd 1: 6 sc in a mr

Rnd 2: (1 sc, inc) x 3 (9)

Rnds 3-27: 1 sc in each st (9)

Don't stuff the arm.

Fasten off.

LEG

Make 2 in Natural White

Rnd 1: 6 sc in a mr

Rnd 2: (inc) x 6 (12)

Rnd 3: (3 sc, inc) x 3 (15)

Rnd 4: 1 sc in each st in the bl (15)

Rnd 5: 1 sc in each st (15)

Rnd 6: dec x 2, 11 sc (13)

Rnd 7: dec, 11 sc (12)

Stuff the legs with a bit of fiberfill as you work.

Rnds 8-31: 1 sc in each st (12)

Rnd 32: finish with 3 sc to end at the side of the leg.

Make one more leg but DON'T break the yarn on the second leg.

Now, continue to work the body from the second leg, and then work the head - everything in one piece.

BODY AND HEAD

Now, continue to work from the second leg where you did not break the yarn.

Rnd 1: Ch 6. Attach the leg to the other leg and be careful to make sure that the legs turn the same way. See picture 1.

Now, work around both legs.

Rnd 2: 12 sc on one leg, 6 sc on one side of the chains, 12 sc on the other leg, 6 sc on the other side of the chains (36)

Picture 1



Stuff the body as you work.

Rnds 3-13: 1 sc in each st (36)

Rnd 14: (4 sc, dec) x 6 (30)

Rnds 15-18: 1 sc in each st (30)

Rnd 19: (3 sc, dec) x 6 (24)

Rnds 20-21: 1 sc in each st (24)

Now, crochet the arms on from the inner side of the arm.

Use pins and attach both arms on the sides of the body.

Rnd 22: work sc to across to the arm, the number of sc can vary as you might displace the work therefore, adjust the number of sc depending on where you end on round 21. The doll on the picture is worked like this:

6 sc, 3 sc through arm and body, 9 sc, 3 sc through arm and body, 3 sc (24)

Pictures 2 and 3



You have now worked 24 sc on the entire round. As the next round is worked across the outer side of the arm, the number of stitches will increase to 30 sc.

Now you are going to work on the round where the shoulders are.

Rnd 23: 1 sc in each st (30)

Picture 4



Rnd 24: 1 sc in each st (30)

Rnd 25: (3 sc, dec) x 6 (24)

Rnd 26: (2 sc, dec) x 6 (18)

Rnd 27: (4 sc, dec) x 3 (15)

Rnds 28-30: 1 sc in each st (15)

Prepare the cable by wrapping yarn around the middle of the cable as many times as is necessary to fill the neck. This way you avoid having to stuff fiberfill around it and that the color of the cable shows through.

Pictures 5 and 6



Now, crochet the head on without breaking the yarn.

Rnd 31: (inc) x 15 (30)

Rnd 32: 2 sc, inc, (4 sc, inc) x 5, 2 sc (36)

Rnd 33: (5 sc, inc) x 6 (42)

Rnd 34: 3 sc, inc, (6 sc, inc) x 5, 3 sc (48)

Rnd 35: (7 sc, inc) x 6 (54)

Rnd 36: 4 sc, inc, (8 sc, inc) x 5, 4 sc (60)

Rnds 37-47: 1 sc in each st (60)

Now, attach the safety eyes between rounds 41-42 with 10 sc in between.

Picture 7



Now, insert the 14 cm (5.6") long piece of cable into the body and make sure that the middle with the yarn wrapped around is placed at the neck.

See picture 6.

Rnd 48: (8 sc, dec) x 6 (54)

Rnd 49: (7 sc, dec) x 6 (48)

Rnd 50: (6 sc, dec) x 6 (42)

Stuff the head as you make it and stuff well around the cable.

Rnd 51: (5 sc, dec) x 6 (36)

Rnd 52: (4 sc, dec) x 6 (30)

Rnd 53: (3 sc, dec) x 6 (24)

Rnd 54: (2 sc, dec) x 6 (18)

Rnd 55: (1 sc, dec) x 6 (12)

Rnd 56: (2 sc, dec) x 3 (9)

Fasten off and leave a tail long enough for gathering the last 9 stitches.

Use a needle to gather all 9 stitches through the front loop and tighten the yarn gently to close the hole nicely.

HAIR

In Light Brown

Rnd 1: 6 sc in a mr

Rnd 2: inc x 6 (12)

Rnd 3: (1 sc, inc) x 6 (18)

Rnd 4: (2 sc, inc) x 6 (24)

Rnd 5: (3 sc, inc) x 6 (30)

Rnd 6: (4 sc, inc) x 6 (36)

Rnd 7: (5 sc, inc) x 6 (42)

Rnd 8: (6 sc, inc) x 6 (48)

Rnd 9: (7 sc, inc) x 6 (54)

Rnd 10: (8 sc, inc) x 6 (60)

Rnds 11-18: 1 sc in each st (60)

Now, crochet bangs without breaking the yarn.

Rnd 19: Ch 6, begin in 2nd chain from the hook, 5 sc, 1 sc in next st on the edge of the hair.

Rnd 20: Ch 7, begin in 2nd chain from the hook, 6 sc, 1 sc in next st on the edge of the hair.

Rnd 21: Ch 8, begin in 2nd chain from the hook, 7 sc, 1 sc in next st on the edge of the hair.

Fasten off and leave a tail long enough for sewing.

Picture 8



SHORTS

In Prussian Blue

Rnd 1: Ch 20 and join into a ring with a sc in the first ch.

Rnds 2-9: 1 sc in each st (20)

Fasten off and make another leg but DON'T break the yarn on the second shorts leg. Ch 1 and attach it to the first shorts leg on the next round.

See picture 9.

Rnd 10: 20 sc around the first shorts leg, 1 sc in ch, 20 sc around the second shorts leg, 1 sc in ch (42)

Rnds 11-16: 1 sc in each st (42)

Switch to color Light Brown and make the waist-belt.

Rnds 17-18: 1 sc in each st (42)

Use thin black yarn to embroider a buckle on the front. See picture 10.

Fasten off.

Pictures 9 and 10



VEST

In Rust

Now, work around the foundation chain and ch 1 to turn at the end of each row.

Rnd 1: Ch 43

Rnds 2-5: 1 sc in each st, ch 1, turn (42)

Rnd 6: 9 sc, skip 1 sc, 22 sc, skip 1 sc, 9 sc (40)

Rnd 7: 9 sc, skip 1 sc, 20 sc, skip 1 sc, 9 sc (38)

Rnd 8: 9 sc, skip 1 sc, 18 sc, skip 1 sc, 9 sc (36)

Rnd 9: 9 sc, skip 1 sc, 16 sc, skip 1 sc, 9 sc (34)

Rnd 10: 9 sc, skip 1 sc, 14 sc, skip 1 sc, 9 sc (32)

Rnds 11-12: 1 sc in each st (32)

Now, make the armhole.

Rnd 13: 5 sc, ch 8, skip 4 sc, 14 sc, ch 8, skip 4 sc, 5 sc (40) See picture 11.

Rnd 14: 5 sc, 8 sc in ch (the sleeve), skip 2 sc, 9 sc, skip 2 sc, 8 sc in ch (the sleeve), 5 sc (35)

See picture 12.

Rnd 15: 12 sc, skip 1 sc, 9 sc, skip 1 sc, 12 sc (33)

Rnd 16: now, make a sc border down along the front piece, the bottom edge and up along the second front piece, but NOT in the collar. See pictures 13 and 14.

Fasten off and leave a tail long enough for sewing.

Pictures 11 and 12

Pictures 13 and 14


Ch 12 two times to make 2 button loops. Fold them in half to create a loop and sew them onto the vest.

EAR

Make 2 in Natural White

Rnd 1: in a mr, work as follows: 1 sc, 3 hdc, 1 sc, 1 sl st. See picture 15.

Fasten off and leave a tail long enough for sewing.

HELMET

In Petrol Blue

Rnd 1: 6 sc in a mr

Rnd 2: inc x 6 (12)

Rnd 3: (1 sc, inc) x 6 (18)

Rnd 4: (2 sc, inc) x 6 (24)

Rnd 5: (3 sc, inc) x 6 (30)

Rnd 6: (4 sc, inc) x 6 (36)
Rnd 7: (5 sc, inc) x 6 (42)
Rnd 8: (6 sc, inc) x 6 (48)
Rnd 9: (7 sc, inc) x 6 (54)
Rnd 10: (8 sc, inc) x 6 (60)
Rnds 11-19: 1 sc in each st (60)

Don't break the yarn but continue to make the visor for the helmet.
Work in rows and ch 1 to turn at the end of each row.

Row 20: 10 sc, ch 1, turn
Row 21: 9 sc, ch 1, turn
Row 22: 8 sc, ch 1, turn
Row 23: 7 sc, ch 1, turn
Row 24: 6 sc

Fasten off.

EAR FLAPS

In Petrol Blue

First ear flap

Work in rows and ch 1 to turn at the end of each row.

Hold the helmet with the top facing yourself and count 8 sc to the left, attach the yarn in the 9th stitch and work the first stitch in the same stitch where you attached the yarn. See picture 16.

Row 1: 10 sc, ch 1, turn
Row 2: 9 sc, ch 1, turn
Row 3: 8 sc, ch 1, turn
Row 4: 7 sc, ch 1, turn
Row 5: 6 sc, ch 1, turn
Row 6: 5 sc, ch 1, turn
Row 7: 4 sc

Fasten off.

Ear flap no. 2

Count from the left edge of the first ear flap towards left, skip 14 sc, attach the yarn in sc no. 15 and work the first sc in the same stitch where you attached the yarn. See picture 17.

Row 1: 10 sc, ch 1, turn
Row 2: 9 sc, ch 1, turn
Row 3: 8 sc, ch 1, turn
Row 4: 7 sc, ch 1, turn
Row 5: 6 sc, ch 1, turn
Row 6: 5 sc, ch 1, turn
Row 7: 4 sc

Don't break the yarn but work a sc border around the entire helmet. You can see the finished result on pictures 18 and 19.

Pictures 15, 16 and 17

Pictures 18 and 19

RUCKSACK

In Dark Grey

Work in rows and ch 1 to turn at the end of each row.

Front

Row 1: Ch 12

Row 2: begin in the 2nd ch, 1 sc in each st, ch 1, turn (11)

Rows 3-15: 1 sc in each st (11)

Then crochet a border around the entire piece. Don't break the yarn but continue from row 15.

rnd 16: Work 13 sc along the border (1 sc at each row end), inc, 9 sc, inc, 13 sc (1 sc at each row end), inc, 9 sc, inc, 1 sl st (52)

See pictures 20-22.

Fasten off.

Back

Row 1: Ch 12

Row 2: begin in the 2nd ch, 1 sc in each st, ch 1, turn (11)

Rows 3-15: 1 sc in each st (11)

Then crochet a border around the entire piece. Don't cut the yarn but continue from row 15.

Row 16: Work 13 sc along the border (1 sc at each row end), inc, 9 sc, inc, 13 sc (1 sc at each row end), inc, 9 sc, inc, sl st (52)

Pictures 20, 21 and 22



Continue to work in a spiral.

Row 17: 1 sc in each st in the bl (52)

Rows 18-20: 1 sc in each st (52)

See pictures 20-22.

Fasten off.

Now, join the front and back pieces. Count 11 sc backwards from the last worked stitch on round 20 and attach the yarn in the 12th stitch together with the front piece, work the first sc in the same stitch. See pictures below.

Work another 11 sc and fasten off. They are to be crocheted together with 12 sc in total. Fasten off.





Now, work in rows and ch 1 to turn at the end of a row.
Attach the yarn on the right side, in the first stitch in the left corner of the back piece.



Row 22: 1 sc in the bl of each st, ch 1, turn (40)
Row 23: 1 sc in each st, ch 1, turn (40)
Row 24: 1 sc in each st (40)

Fasten off and leave a tail long enough for sewing.

Stuff with a piece of kitchen roll folded in several layers to a suitable thickness and cut to size and then sew the edges of the back piece onto the front piece.



Front pocket

Work in rows, ch 1 to turn at the end of each row.

Row 1: Ch 8

Row 2: begin in 2nd chain from the hook, 1 sc in each st, ch 1, turn (7)

Rows 3-8: 1 sc in each st, ch 1, turn (7)

Crochet a border of sc around it, work 2 sc in one sc in the corners.

Fasten off and leave a tail long enough for sewing it onto the rucksack.



Side pockets

Make 2.

Work in rows, ch 1 to turn at the end of each row.

Row 1: Ch 9

Row 2: begin in the 2nd ch, 1 sc in each st, ch 1, turn (8)

Rows 3-5: 1 sc in each st, ch 1, turn (8)

Fasten off and leave a tail long enough for sewing and sew them onto each side of the rucksack



Handle

Make 2.

Row 1: Ch 6

Row 2: begin in the 2nd ch, 1 sc in each st, (5) 1 sl st in the same stitch

Fasten off and make one more, but don't break the yarn on number 2, ch 23 and attach it to the top of the first one you made. See picture.

Sew the handles on, on both sides of the rucksack and attach them at the top.



Strap

Row 1: Ch 60

Row 2: begin in the 2nd ch, 1 sc in each st (59)

Fasten off and leave a tail long enough for sewing.

Fold it in half and position the fold at the top of the back piece of the rucksack and sew it on. Sew them on at each corner at the bottom.



Logo

In white yarn

rnd 1: 10 sc in a mr, 1 sl st

Fasten off and leave a tail long enough for sewing.

Embroider the star in the middle with dark red yarn and sew the logo onto the rucksack as shown in the picture.



ASSEMBLING

- Sew the hair onto the head, see picture 23.
- Place the shorts on the doll and attach with a few stitches at the edge, see picture 24.
- Embroider the nose between rounds 37 and 38 with 3 stitches over 3 sc, see picture 25.
- Use white yarn to embroider a border at the outer side of the eyes, see picture 25.
- Embroider eyebrows from rounds 43-44, see picture 25.
- Sew the ears on on rounds 36-40 on each side of the head, see picture 26.
- Put on the vest and sew the buttons on, place the loops around the buttons and sew on, see picture 27.

Pictures 23 and 24



Pictures 25 and 26



Pictures 27 and 28



Enjoy!
PifPaf

