



KNITTING PATTERN

Tanjun

Slipover

Design: MLZ Design | Hobbii Design





MATERIALS

5 (5) 6 (6) skeins of Friends Extra Fine Merino
color Cognac (17)
4 (4) 5 (5) skeins of Friends Kid Silk color
Cognac (17)

Circular needle 3.5 mm (US 4) – 60 cm (24")
and 80 cm (32")
Cable needle
Stitch markers
Tapestry needle
Measuring tape
Scissors

YARN QUALITY

 **Friends Extra Fine Merino**, Hobbii
100 % Merino Wool
50 g (1.75 oz) = 165 m (180 yds)

 **Friends Kid Silk**, Hobbii
72 % Mohair, 25 % Silk, 3 % Wool
25 g (0.9 oz) = 200 m (218 yds)

GAUGE

23 sts x 34 rows = 10 x 10 cm (4")

SIZE

M (L) XL (2XL)

MEASUREMENTS

Length: 56 (56) 65 (65) cm / 22 (22) 25.6 (25.6)"
Length to armhole: 32 (32) 39 (39) cm / 12.6
(12.6) 15.4 (15.4)"
Width: 51 (54) 56 (58) cm / 20.1 (21.3) 22 (22.8)"

ABOUT THE PATTERN

This beautiful slipover with cables on the front piece is perfect for cold days and evenings.

It is worked with one strand of Friends Extra Fine Merino and one strand of Friends Kid Silk held together. The slipover is worked in two separate parts which are sewn together. The front piece features a beautiful cable pattern. The back piece is worked in stockinette stitch. The neckline and sleeves are finished with an i-cord. The slipover is worked bottom up and finished with a hem in broken rib.

The pattern includes written instructions as well as charts for the cable pattern. This pattern is suitable for experienced knitters.

The slipover has a positive ease of around 5-10 cm (2-4"). The model in the pictures is 180 cm (5' 11") tall and wears a size M.

HASHTAGS FOR SOCIAL MEDIA

#hobbiidesign #hobbiitanjun

BUY THE YARN HERE

<https://shop.hobbii.com/tanjan-slipover>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com

Please make sure to include the pattern's name and number. Happy Crafting!

Pattern



ABBREVIATIONS

st(s) = stitch(es)

k = knit

p = purl

tbl = through the back loop

RS = right side

WS = wrong side

yo(s) = yarnover(s)

sl1 = slip 1 stitch

k2tog = knit 2 stitches together

p2tog = purl 2 stitches together

co = cast on

bo = bind off

BOR = beginning of round

wyif = with yarn in front

INFORMATION AND TIPS

Stitches are increased for pattern A and B in order to avoid that the work contracts. Those stitches are decreased again during bind off.

The length of the slipover can be adjusted by working one repeat more or less of pattern B (all 24 rows) before the armhole.

SPECIAL TECHNIQUES

Cables

C8F – place 4 sts on a cable needle in front of the work, k4, k the 4 sts on the cable needle

C8B – place 4 sts on a cable needle behind the work, k4, k the 4 sts on the cable needle

C6F – place 3 sts on a cable needle in front of the work, k3, k the 3 sts on the cable needle

C6B – place 3 sts on a cable needle behind the work, k3, k the 3 sts on the cable needle

C4F – place 2 sts on a cable needle in front of the work, k2, k the 2 sts on the cable needle

C4B – place 2 sts on a cable needle behind the work, k2, k the 2 sts on the cable needle



Cable behind the work



Cable in front of the work

Broken rib

Row 1 (WS): p to end.

Row w (RS): *k1, p1; repeat from * to end.

Repeat rows 1-2.

Edge stitch

The last st on the row: sl1 wyif. The first st on the row: k.

Purl increase (p inc)

Pick up the bar between 2 sts from behind and p it.

Pattern A

Please also refer to the chart.

Row 1 (RS): p2, C4F, k4, C4B, p2.

Row 2 (WS): p to end.

Row 3 (RS): p2, k2, C4F, C4B, k2, p2.

Row 4 (WS): p to end.

Row 5 (RS): p2, k4, C4B, k4, p2.

Row 6 (WS): p to end.

Pattern B

Please also refer to the chart.

- Row 1 (RS): p2, k12, p1, k12, p1, k12, p2 = 42 sts.
 Row 2 (WS): k2, p12, k1, p12, k1, p12, k2.
 Row 3 (RS): p2, k12, p1, C8B, k4, p1, k12, p2.
 Row 4 (WS): k2, p12, k1, p12, k1, p12, k2.
 Row 5 (RS): p2, C6B, C6F, p1, k12, p1, C6B, C6F, p2.
 Row 6 (WS): k2, p12, k1, p12, k1, p12, k2.
 Row 7 (RS): p2, k12, p1, k4, C8F, p1, k12, p2.
 Row 8 (WS): k2, p12, k1, p12, k1, p12, k2.
 Row 9 (RS): p2, k12, p1, k12, p1, k12, p2.
 Row 10 (WS): k2, p12, k1, p12, k1, p12, k2.
 Row 11 (RS): p2, C6B, C6F, p1, C8B, k4, p1, C6B, C6F, p2.
 Row 12 (WS): k2, p12, k1, p12, k1, p12, k2.
 Row 13 (RS): p2, k12, p1, k12, p1, k12, p2.
 Row 14 (WS): k2, p12, k1, p12, k1, p12, k2.
 Row 15 (RS): p2, k12, p1, k3, yo, k2tog tbl, k4, yo, k2tog tbl, k1, p1, k12, p2.
 Row 16 (WS): k2, p12, k1, p3, yo, p2tog, p4, yo, p2tog, p1, k1, p12, k2.
 Row 17 (RS): p2, C6F, C6B, p1, k3, yo, k2tog tbl, k4, yo, k2tog tbl, k1, p1, C6F, C6B, p2.
 Row 18 (WS): k2, p12, k1, p3, yo, p2tog, p4, yo, p2tog, p1, k1, p12, k2.
 Row 19 (RS): p2, k12, p1, k3, yo, k2tog tbl, k4, yo, k2tog tbl, k1, p1, k12, p2.
 Row 20 (WS): k2, p12, k1, p3, yo, p2tog, p4, yo, p2tog, p1, k1, p12, k2.
 Row 21 (RS): p2, k12, p1, k3, yo, k2tog tbl, k4, yo, k2tog tbl, k1, p1, k12, p2.
 Row 22 (WS): k2, p12, k1, p3, yo, p2tog, p4, yo, p2tog, p1, k1, p12, k2.
 Row 23 (RS): p2, C6F, C6B, p1, k3, yo, k2tog tbl, k4, yo, k2tog tbl, k1, p1, C6F, C6B, p2.
 Row 24 (WS): k2, p12, k1, p12, k1, p12, k1.

FRONT PIECE

Ribbing

Using needle 3.5 mm (US 4) or the needle size you need to get the right gauge, co 118 (124) 128 (134) sts. Work broken rib until the ribbing measures 3 cm (1.2").

BODY

On the last WS row, prepare the pattern as follows:

Edge st, p20 (22) 23 (25), place marker, p3, 1 p inc, p3, 1 p inc, p3, 1 p inc, p4 (= 16 sts), place marker, p11 (12) 13 (14), place marker, repeat *p2, 1 p inc* 14 times (= 42 sts), place marker p11 (12) 13 (14), place marker, p3, 1 p inc, p3, 1 p inc, p3, 1 p inc, p4 (= 16 sts), place marker, p20 (22) 23 (25), edge st = 138 (144) 148 (154) sts.

Now work the front piece like this: Edge st, work stockinette stitch across 20 (22) 23 (25) sts (k on RS, p on WS), work pattern A across 16 sts, work stockinette stitch across 11 (12) 13 (14) sts, work pattern B across 42 sts, work stockinette stitch across 11 (12) 13 (14), work pattern A across 16 sts, work stockinette stitch across 20 (22) 23 (25) sts, edge st.

This results in 20 (22) 23 (25) sts of stockinette stitch between pattern A and the edge st on each side as well as 11 (12) 13 (14) sts of stockinette stitch between pattern A and B.

Work as described above until the work measures 32 (32) 39 (39) cm / 12.6 (12.6) 15.4 (15.4)".
From here, sts are decreased for the armholes.

Armholes

Bo sts on every other row as follows: 5, 3, 2, 1, 1, 1 (5, 3, 2, 2, 1, 1, 1) 5, 3, 2, 2, 2, 1 (5, 3, 2, 2, 2, 1) st(s). Then work even until pattern B is worked a total of 5 (5) 6 (6) times. From here, the neck opening is shaped.

Neck opening

On the last WS row before bo, the increased cable sts from the beginning are decreased.

On row 24 of pattern B, 6 sts are decreased (p2tog) evenly across the 12 middle sts.

On the next RS row, bo the 9 (10) 11 (11) middle sts, work to end and turn the work. From here, each side is worked separately.

Right shoulder (when wearing the slipover)

Work the WS while decreasing (p2tog) 4 sts across the cable at the neck.

Now decrease for the neckline on every other row as follows: 4, 3, 2, 1 (4, 3, 2, 2, 1) 5, 3, 2, 1, 1 (5, 3, 2, 1, 1) sts.

Work even until the work measures 24 (24) 26 (26) cm / 9.4 (9.4) 10.2 (10.2)" from the armhole.
Now decrease for the shoulder.

On the last 4 WS rows, decrease 3 sts evenly across pattern A.

From the sleeve, bo 8, 8, 7, 7 (8, 8, 7, 7) 9, 9, 8, 6 (9, 9, 8, 6) sts on every other row.

Left shoulder (when wearing the slipover)

Join the yarn on the WS. Work the left shoulder following the same procedure as for the right shoulder.

BACK PIECE

Using needle 3.5 mm (US 4) or the needle size you need to get the right gauge, co 118 (124) 128 (134) sts. Work broken rib until the ribbing measures 3 cm (1.2").

Work stockinette stitch until the work measures 39 cm / 15.4".

From here, sts are decreased for the armholes.

All sizes

Bo sts on every other row as follows: 5, 3, 2, 1, 1, 1 (5, 3, 2, 2, 1, 1, 1) 5, 3, 2, 2, 2, 1 (5, 3, 2, 2, 2, 1, 1) sts. Then work even until the armholes measures 22 (22) 24 (24) cm / 8.7 (8.7) 9.4 (9.4)".

Neck

On the next RS row, bo the 21 (22) 22 (22) middle sts, work to end and turn the work. From here, each side is worked separately.

Right shoulder (when wearing the slipover)

All sizes

Now decrease for the neckline on every other row as follows: 2, 4 sts. Work even until the back piece reaches the same length as the front piece.

Now decrease for the shoulder.

From the sleeve, bo 8, 7, 7, 7 (8, 8, 7, 7) 9, 8, 7, 7 (9, 8, 7, 7) sts on every other row.

SEAMING AND I-CORDS

I recommend that you wash and block both pieces before joining them in order to get the best result. Sew the shoulder seams together with kitchener stitch and the side seams together with mattress stitch.

Neckline

Using circular needle 3.5 mm (US 4) – 60 cm (24”), pick up sts along the neck opening. Pick up 1 sts per st. Begin at the right shoulder.

I-cord

When you have reached the BOR, co 4 new sts using backward loop cast on. K 3 sts and k the next st and the first st you picked up for the neckline tog tbl. There are now 4 sts on the right-hand needle. Slip these 4 sts back onto the left-hand needle. *K3, k2tog tbl, slip 4 sts back onto the left-hand needle; repeat from * until you have worked around the whole neckline. Bo the 4 sts and sew them together with the 4 sts from the beginning.

SLEEVE I-CORDS

Using circular needle 3.5 mm (US 4) – 60 cm (24”), pick up sts along the armhole. Pick up 1 sts per st. In every fourth or fifth edge st, pick up 2 sts if necessary. Begin in the middle below the sleeve.

Work an i-cord following the same procedure as for the neckline.

Weave in all ends. Congratulations – you have now finished your Tanjun Slipover!

Happy Crafting!





Marlis Zimmer












Chart A

6	-	-	x	x	x	x	x	x	x	x	x	x	x	x	-	-
5	x	x	-	-	-	-									x	x
4	-	-	x	x	x	x	x	x	x	x	x	x	x	x	-	-
3	x	x	-	-											x	x
2	-	-	x	x	x	x	x	x	x	x	x	x	x	x	-	-
1	x	x					-	-	-	-					x	x

Legend

	C4F
	C4B
	k
	p

Legend

	C8F
	C8B
	C6F
	C6B
	yo
	k2tog tbl
	p2tog tbl
	k
	p