



KNITTING PATTERN

Tidepool

Tee

Design: Meg Roke | Hobbii Design



MATERIALS

3 (3, 3, 4, 5, 5, 6) skeins of **Alpaca Silk** color 20 (A)

1 (1, 1, 2, 2, 2, 2) skeins of **Friends Kid Silk** color 113 (B)


Circular needle 3.5 mm, 40 cm / US 4, 16"
Circular needle 3.5 mm, 60 cm / US 4, 24" or longer


Double pointed needles or short circular needle 3.5 mm / US 4

Circular needle 3.75 mm, 40 cm / US 5, 16"
Circular needle 3.75 mm, 60 cm / US 5, 24" or longer

Cable needle
8 stitch markers
Tapestry needle
Stitch wire

YARN QUALITY

 **Alpaca Silk**, Hobbii
70% Alpaca, 30% Mulberry Silk
50 g / 1.75 oz = 166 m / 181 yds

 **Friends Kid Silk**, Hobbii
72% Mohair, 25% Silk, 3% Wool
25 g / 0.9 oz = 200 m / 218 yds

GAUGE

24 sts x 32 rows = 10 cm x 10 cm / 4" x 4" in Stockinette Stitch

HASHTAGS FOR SOCIAL MEDIA

#hobbii design #hobbii tidepool

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com. Please make sure to include the pattern's name and number.

Happy Crafting!

SIZE

XS (S, M, L, XL, 2XL, 3XL)

MEASUREMENTS

Chest Circumference: 75 (85, 95, 105, 115, 125, 135) cm / 30 (34, 38, 42, 46, 50, 54)"

Length (bottom of hem to top of back collar): 44 (52.5, 52, 55, 59, 61.5, 64.5) cm / 17.5 (21, 20.75, 22, 23.5, 24.5, 25.75)"

PATTERN INFORMATION

This short sleeve tee is worked in the round from the top down in stockinette stitch. It features a twisted rib hem at the bottom of the sweater, the collar, and sleeve. There is a twisted cable pattern (10 st/8 rnds) running down the length of the sides from the armhole join to the top of the hem.

The majority of the sweater is knitted in Alpaca Silk (A) with contrasting 2.5 cm / 1" stripes knit in Friends Kid Silk (B) from the chest to the top of the hem. The raglan style yoke is created with eyelet increases. After the yoke and sleeve shaping is complete, the sleeve stitches are placed on stitch wire. Extra stitches are cast on at the underarms and the front and back stitches are joined and worked in the round with gentle A-line shaping increases to the hem. After the body is complete, stitches at the sleeves are picked up and knit in the twisted rib pattern.

This tee is intended to have 5-10 cm / 2-4" of positive ease and hits about mid-hip in length.

BUY THE YARN HERE

<https://shop.hobbii.com/tidepool-tee>

Pattern



Tips

1. Use a different colored stitch marker (from raglan markers) to denote the Beginning of Round.
2. Change to longer circular needles when the stitches feel too scrunched on the needle.
3. If the sleeve circumference is too big, decrease by knitting 2 stitches together where the underarm and upper sleeve stitches meet on either side. Just be sure to have an even number of stitches before beginning the sleeve cuff.
4. When working on the body (after dividing the sleeves from the body), there are three things to keep track of at once: cable pattern, color change for stripes, increasing for A-line shape. Use removable stitch markers to help. Use one to denote Row 1 of the cable pattern and use a different color/style one to note when to increase. Be sure to move these stitch markers at the beginning of the next cable pattern repeat and on the first round after increasing. I usually place these stitch markers a few stitches to the left of the cable section on a knit stitch so that it is easier to see and count the rows.
5. As the stripes are only 2.5 cm / 1" in depth, the working yarn for A and B can be carried up the side at the color change. However, if A and B are high contrast as shown here, the darker yarn will show through the lighter stripes. Therefore, it is best to cut the yarn at each color change and weave in the tails later.

ABBREVIATIONS

CO = cast on

CN = cable needle

BO = bind off

Inc = increase

K = knit

K1tbl = knit through back loop of next stitch

LC = Left Cross: slip 1 st to cn, hold in front, p1, k1tbl from cn

M = marker

M1L = Make 1 Left: Insert left needle, from front to back, under strand of yarn which runs between next stitch on left needle and last stitch on right needle; knit this stitch through back loop. (1 st increased)

M1R = Make 1 Right: Insert left needle, from back to front, under strand of yarn which runs between next stitch on left needle and last stitch on right needle; knit this stitch through front loop. (1 st increased)

P = purl

Pm = place marker

RC = Right Cross: slip 1 st to cn, hold in back, k1tbl, p1 from cn

Rep = repeat

Rm = remove marker

Rnd(s) = round(s)

Sm = slip marker

St(s) = stitch(es)

Yo = yarn over

Stockinette Stitch

All Rnds: Knit.

Twisted Rib Stitch

All Rnds: P1, k1tbl.

Twisted Cable Pattern (10 st)

Rnds 1-2: P1, (k1tbl, p2, k1tbl) two times, p1.


Rnd 3: P1, k1tbl, p1, RC, LC, p1, k1tbl, p1.

Rnds 4-6: (P1, k1tbl) two times, p2, (k1tbl, p1) two times.

Rnd 7: P1, k1tbl, p1, LC, RC, p1, k1tbl, p1.

Rnd 8: P1, (k1tbl, p2, k1tbl) two times, p1.

Schematic



Pattern Measurements

- A. Chest Circumference = 75 (85, 95, 105, 115, 125, 135) cm / 30 (34, 38, 42, 46, 50, 54)"
- B. Hem Circumference = 85 (95, 105, 115, 125, 135, 145) cm / 34 (38, 42, 46, 50, 54, 58)"
- C. Neck Circumference = 57 (60, 66.5, 70, 80, 83.5, 93.5) cm / 22.5 (25, 26.5, 28, 32, 33.25, 37.25)"
- D. Yoke Depth = 13.5 (16, 17.5, 19.5, 20, 21, 22.5) cm / 5.5 (6.5, 7, 7.75, 8, 8.5, 9)"
- E. Sleeve Circumference = 27.5 (31.5, 34.5, 38, 41.5, 45, 48) cm / 11 (12.25, 13.5, 15, 16.25, 17.5, 19)"
- F. Length (bottom of hem to top of back collar) = 44 (52.5, 52, 55, 59, 61.5, 64.5) cm / 17.5 (21, 20.75, 22, 23.5, 24.5, 25.75)"

INSTRUCTIONS

Yoke

With A and smaller 40 cm/ 16" needles, CO 136 (144, 160, 168, 192, 200, 224) sts using long-tail cast-on method or preferred method of cast-on.

Pm and join to work in the rnd.

Rnds 1-6 : P1, k1tbl.

Change to larger 40 cm/ 16" needles.

Set-up Rnd: P1, k1tbl, pm, k1tbl, k15 (15, 17, 17, 21, 21, 25) right sleeve sts, k1tbl, pm, (k1tbl, p1) two times, k1tbl, pm, k1tbl, k39 (43, 49, 53, 61, 65, 73) front sts, k1tbl, pm, (k1tbl, p1) two times, k1tbl, pm, k1tbl, k15 (15, 17, 17, 21, 21, 25) left sleeve sts, k1tbl, pm, (k1tbl, p1) two times, k1tbl, pm, k1tbl, k39 (43, 49, 53, 61, 65, 73) back sts, k1tbl, pm, k1tbl, p1, k1tbl.

**Note that the right back raglan section includes the first 2 sts and last 3 sts of the rnd.*

Inc Rnd: P1, k1tbl, sm, [yo, k1tbl, knit to 1 st before next m, k1tbl, yo, sm, (k1tbl, p1) two times, k1tbl, sm] three times, yo, k1tbl, knit to last st before next m, k1tbl, yo, sm, k1tbl, p1, k1tbl. [8 sts inc - 144 (152, 168, 176, 200, 208, 232) total sts]

Next Rnd: P1, k1tbl, sm, [k1, k1tbl, knit to 2 sts before m, k1tbl, k1, sm, (k1tbl, p1) two times, k1tbl, sm] three times, k1, k1tbl, knit to last 5 sts, k1tbl, k1, sm, k1tbl, p1, k1tbl.

Rep last 2 rnds 15 (19, 19, 24, 21, 27, 29) more times. [264 (304, 320, 368, 368, 424, 464) total sts]

Rep Inc Rnd once. [272 (312, 328, 376, 376, 432, 472) total sts]

Work 3 rnds even as established.

Rep Inc Rnd once. [280 (320, 336, 384, 384, 440, 480) total sts]

Rep last 4 rnds 0 (0, 1, 0, 2, 0, 0) times more. [280 (320, 344, 384, 400, 440, 480) total sts]

Divide for Sleeves and Body

Slip first 2 raglan sts, rm, slip next 53 (61, 65, 73, 75, 83, 91) sts, rm, and slip first 3 sts of the next raglan section onto stitch wire for the right sleeve [58 (66, 70, 78, 80, 88, 96) total sleeve sts on stitch wire]. Use the knitted cast-on method to CO 8 (8, 12, 12, 18, 18, 18) underarm sts. Knit 2 sts, rm. Knit next 77 (89, 97, 109, 115, 127, 139) front sts, rm, k3 of next raglan section. Slip remaining 2 sts of raglan section, slip next 53 (61, 65, 73, 75, 83, 91) sts, rm, and slip first 3 sts of the next raglan section onto stitch wire for the left sleeve [58 (66, 70, 78, 80, 88, 96) total sleeve sts on stitch wire]. Use the knitted cast-on method to CO 8 (8, 12, 12, 18, 18, 18) underarm sts. Knit 2 sts, rm. Knit next 77 (89, 97, 109, 115, 127, 139) back sts, rm, k3. There should be 58 (66, 70, 78, 80, 88, 96) sts on each stitch wire and 180 (204, 228, 252, 276, 300, 324) total body sts on the needles.

Body



* *Read through all of the Body directions before beginning!* There are three things to keep track of at the same time while working on the Body: cable pattern (See Info and Tips above), color change for stripes, and increasing for the A-line shape. Note that only XS and 2XL sizes will fully complete the cable round repeats before starting the hem. All other sizes will finish at different rounds in the cable pattern.

For XS and S sizes only: Unknit the last 2 sts of the previous rnd and move them onto the left needle. Pm on the right needle (this is now the Beginning of Rnd m).

For XL, 2XL, 3XL sizes only: Knit 3 sts, pm (this is now the Beginning of Rnd m).

Rnd 1: Work across Rnd 1 of 10-st cable pattern, pm, k1tbl, k78 (90, 102, 114, 126, 138, 150), k1tbl, pm, work across Rnd 1 of 10-st cable pattern, pm, k1tbl, k78 (90, 102, 114, 126, 138, 150), k1tbl.

Continue to work as established *at the same time* work inc rnds *and* change colors for striping as follows:

Inc Rnds: Work the following Inc Rnd every 13 (16, 15, 16, 18, 18, 19) th rnd six times: *Work across given rnd for cable pattern, slip m, k1tbl, M1L, knit to 1 st before next m, M1R, k1tbl, slip m, rep from * to end. [4 sts inc]

After completing the inc rnds, then work 2 (4, 4, 2, 0, 4, 4) rnds even. [204 (228, 252, 276, 300, 324, 348) total hem sts]

Striping: Work first 8 (12, 6, 10, 4, 8, 14) rnds in A.

Work 8 rnds in B.

Work 8 rnds in A.

Rep last 16 rnds 3 (4, 4, 4, 5, 5, 5) more times.

Then work last 8 rnds in B.

Hem

The hem is worked in A only.

Change to smaller 60 cm / 24" (or longer) needle.

Rnd 1: P1, k1tbl.

Rep until hem measures 5 cm / 2".

BO in pattern.

Sleeves

Transfer live sleeve sts onto smaller double pointed needles or short circular needles.

Beginning at the center of the underarm, pick up and k4 (4, 6, 6, 9, 9, 9) from the underarm, k58 (66, 70, 78, 80, 88, 96) sleeve sts, pick up and k4 (4, 6, 6, 9, 9, 9) from the remaining underarm.

Pm and join in the rnd.



Rnds 1-6: P1, k1tbl.
BO in pattern.

Finishing

Weave in loose ends.
Block to measurements.

Enjoy!

Meg Roke